## NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS

## SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

PART A  Property Details  Tullipan Homes P/L  PO.Box 5148  CHITTAWAY BAY NSW 226  Contact Phone Number; (H): ((M): Ph. 02 4353 8644  Council: MEWCASTULE  Council Reference (if known):  Lot: DP: 1/96932  Address to be developed: PADDOCK CLOSE ELLER MORE VALE  My property is on Bush Fire Prone Land: Yes					
PART B  Type of Proposal:  New Building  Dual Occupancy  Alteration/Additions to an open service of the service	storey house with attac	Urban Rural Residentia Isolated Rural hed garage			
Copy of plans attached  PART C	Yes  Bush Fire Attack	and Level of Const	ruction		
Step 1: Asess the vegetation a	bout the proposed bui	lding in all directions ar	nd convert from Keith to	o AUSLIG (1990) using	
CATEGORY	NORTH	EAST	SOUTH	WEST	
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest  Woodland  Shrubland  Scrub  Mallee/Mulga  Rainforest  Tussock  Moorland  Managed Land	
Copy of any relevant photos attached Yes  Step 2: Determine the distance from the building line to the vegetation in each direction as above					
ASPECT	NORTH	EAST	SOUTH	WEST	

2
$\geq$
$\overline{c}$
$\equiv$
A
_
d
0
V
<b>JENT</b>
MEN.
=
A
$\pm$
EVELO
111
=
ш
G
Ú
Z
=
$\neg$
ш
3
0
GLED
1
$\stackrel{\sim}{\sim}$
$\leq$
S FOR S
$\propto$
0
щ
S
븨
Z
CE GUIDELIN
田
0
≡
_
G
ш
U
$\leq$
~
亩
S
ш
$\overline{x}$
ī
-
⇉
*
=
$\approx$
4
SW RUR
S
z

Step 3: Determine the effective slope that will influence bushfire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST	
Slope under the hazard (over 100m) [in degrees]	upslope/flat  >0 to 5  >5 to 10  >10 to 15  >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	
Step 4: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below					
FDI	100	80		50	
Step 5: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level					
FDI	100 (see Table 4. page	11) 80 (see Ta	ble 5. page 12)	50 (see Table 6. page 13)	
Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959.  Bush Fire Attack Level  BAL- FZ  BAL- 40  BAL- 19  BAL- 29  No requirement  Does your proposal meet the required construction level					
PART D Flame Zone  If you determine your house is lo		nd evidence of an a		n.	

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

**Water Supplies** 

Do you have or do you plan to have a dedicated water supply for firefighting purposes?

Does your property have a reticulated (piped) water supply?; If so, please provide details on the distance

	Rural-residential Lots (1,00	10,000 l/			
	Large Rural/Lifestyle Lots	20,000 l/			
	Dual Occupancy	2,500 l/u			
	Townhouse/Unit Style (e.g	Townhouse/Unit Style (e.g. Flats)			
ATIONS	Do you have or do you plan to have a static water sup litres and also include tank material if using a tank:				
PLIC/	Water supply type	Capacity	Construction		
NT AP	e.g. pool	50,0001	Above ground		
OPME					
EVELO					
D N					
SINGLE DWELLI	NOTE: Check with your local council concerning their Control Plan (DCP) as this may dictate the type and size				
LINES FOR	PARTF	PART F Gas Supplies			
NSW RURAL FIRE SERVICE GUIDELINES FOR SINGLE DWELLING DEVELOPMENT APPLICATIONS	GAS Do you have reticulated (piped) or bottled gas?				
	TYPE OF GAS  Reticulated gas  Bottled gas  No Yes No No NoTE: When attaching development plans pelectricity and gas (where relevant) on you				

PARTE

Yes No

to the nearest fire hydrant on your site plan.

Reticulated (piped) water supply is available

Development Type		Water Requirement	Planned	Existing		
Residential Lots (<1,000m2)		5,000 l/lot	5000			
Rural-residential Lots (1,000	1–10,000m2)	10,000 l/lot				
Large Rural/Lifestyle Lots (>	10,000m2)	20,000 l/lot				
Dual Occupancy		2,500 l/unit				
Townhouse/Unit Style (e.g.	Flats)	5,000 l/unit up to 20,000l maximum				
Do you have or do you plan to have a static water supply (e.g. pool, tank or dam). Include approx. size in litres and also include tank material if using a tank:						
Water supply type	Capacity	Construction material	Planned	Existing		
e.g. pool	50,0001	Above ground rolled steel with plastic liner				
NOTE: Check with your Control Plan (DCP) as th	local council co nis may dictate t	ncerning their Local Environmental Plan (LEP) or the type and size of tank.	neir Development			
PART F		Supplies				
Do you have reticulated	(piped) or bott	ed gas?				
TYPE OF GAS Reticulated gas Sottled gas	Yes No					
NOTE: When a electricity an	ttaching develo nd gas (where re	oment plans please ensure they clearly show locat levant) on your property.	ion and details of			